




A-B-B1-C




A-B-B1-C




D




A




B



B1



C



D



EN 14439-FEM 1005- C25/D25



Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности

55 m		SL	24	25	26	28	28,4	30	33	35	37	39	40	43	45	48	50	52	55	m		
		3000	3000	3000	3000	3000	2822	2519	2346	2192	2055	1991	1819	1717	1580	1498	1422	1320	Kg			
		SL	24	25	26	28	26,5	28	30	33	35	37	39	40	43	45	48	50	52	55	m	
		3000	3000	3000	3000	2822	2599	2317	2156	2012	1844	1825	1664	1569	1442	1366	1296	1200	Kg			
		SL	15	16	18	21	24,4	28	30	33	35	38	40	43	45	48	50	52	55	m		
		3000	3000	3000	3000	3000	2553	2347	2085	1935	1724	1629	1480	1392	1274	1203	1138	1050	Kg			
		SL	13,5	15	18	21	24	28	30	33	35	38	40	43	45	48	50	52	55	m		
		6000	5317	4309	3600	3074	2553	2347	2085	1935	1724	1629	1480	1392	1274	1203	1138	1050	Kg			
		SL	14,3	15	18	21	24	27	30	33	35	38	40	43	45	48	50	52	55	m		
		6000	5718	4638	3881	3319	2886	2541	2261	2102	1895	1774	1615	1521	1395	1319	1250	1155	Kg			
50 m		SL	24	25	26	28	30	32,2	33	35	37	39	40	43	45	48	50	m				
		3000	3000	3000	3000	3000	3000	2918	2722	2548	2392	2319	2124	2008	1853	1760	Kg					
		SL	24	25	26	28	29,9	30	33	35	37	39	40	43	45	48	50	m				
		3000	3000	3000	3000	3000	2993	2674	2492	2330	2185	2119	1937	1830	1686	1600	Kg					
		SL	15	18	21	24	28	30	33	35	38	40	43	45	48	50	m					
		3000	3000	3000	3000	3000	2761	2461	2289	2067	1938	1767	1666	1531	1450	Kg						
		SL	15,3	20	21	24	27	30	33	35	38	40	43	45	48	50	m					
		6000	4442	4199	3596	3131	2761	2461	2289	2067	1938	1767	1666	1531	1450	Kg						
		SL	15	16,4	21	24	27	30	33	35	38	40	43	45	48	50	m					
		6000	6000	4552	3903	3403	3005	2682	2498	2259	2120	1936	1828	1682	1595	Kg						
45 m		SL	24	25	26	28	30	33	35	36,1	37	38	40	43	45	m						
		3000	3000	3000	3000	3000	3000	3000	3000	2916	2826	2660	2440	2310	Kg							
		SL	24	25	26	28	30	33,4	35	37	38	39	40	43	45	m						
		3000	3000	3000	3000	3000	3000	2841	2660	2577	2498	2423	2220	2100	Kg							
		SL	15	18	20	21	24	27	30	31,6	35	37	40	43	45	m						
		3000	3000	3000	3000	3000	3000	3000	3000	2656	2483	2258	2064	1950	Kg							
		SL	17,3	18	20	21	24	27	30	33	35	37	40	43	45	m						
		6000	5740	5094	4819	4135	3609	3190	2850	2656	2483	2258	2064	1950	Kg							
		SL	15	18,6	20	21	24	27	30	33	35	38	40	43	45	m						
		6000	6000	5543	5245	4507	3938	3485	3117	2908	2636	2477	2268	2145	Kg							
40 m		SL	24	25	26	28	30	33	35,8	37	38	39	40	m								
		3000	3000	3000	3000	3000	3000	3000	2894	2805	2720	2640	Kg									
		SL	24	25	26	28	30	33,1	35	37	38	39	40	m								
		3000	3000	3000	3000	3000	3000	2814	2634	2552	2474	2400	Kg									
		SL	15	18	20	22	24	30	31,5	33	36	38	40	m								
		3000	3000	3000	3000	3000	3000	3000	2840	2558	2395	2250	Kg									
		SL	15	17,2	18	20	24	27	30	33	36	38	40	m								
		6000	6000	5722	5078	4122	3597	3179	2840	2558	2395	2250	Kg									
		SL	15	18	18,6	20	24	27	30	33	35	38	40	m								
		6000	6000	6000	5537	4502	3933	3481	3114	2904	2633	2475	Kg									
35 m		SL	24	25	26	28	34,7	35	m													
		3000	3000	3000	3000	3000	2970	Kg														
		SL	24	25	26	28	32	35	m													
		3000	3000	3000	3000	3000	2700	Kg														
		SL	15	19	20	21	24	27	30,5	35	m											
		3000	3000	3000	3000	3000	3000	3000	2550	Kg												
		SL	15	16,7	20	21	24	27	30	35	m											
		6000	6000	4905	4639	3979	3470	3066	2550	Kg												
		SL	15	18	20	21	24	27	30	35	m											
		6000	6000	5359	5071	4355	3803	3364	2805	Kg												

Bloque de contrapeso - Counterweight blocks - Gegengewichtsböcke - Bloc de contrepoind - Blocco di contrappeso - Плиты противовеса

	55 m			50 m			45 m			40 m			35 m		
	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
	5	2	-	5	1	1	5	-	2	4	1	1	3	2	-
	14300 kg			13750 kg			13200 kg			11450 kg			9700 Kg		

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

 33 Hp (24 Kw) INV
 400V / 50HZ

		m/mln								
			0 - 8	0 - 35	0 - 56	0 - 100	0 - 4	0 - 17,5	0 - 28	0 - 50
	380 m	Kg	3000	3000	2200	1000	6000	6000	4400	2000
		Kw	24	24	24	24	24	24	24	24

**580 m drum capacity option available on request. Kindly consult us.

	m/mln	11 / 37 / 75		
	Kw	3		
	r.p.m	0,3	0,6	0,9
	Kw	2 x 5,5		
	m/min	20		
	Kw	2 x 2,2		

* Opcional / Optional / Opzionale

Elevación / Hoisting / Heben / Levage / Sollevamento

Distribución / Trolleying / Katzfahren / Distribution / Distribuzione

Orientación / Slewing / Schwenken / Orientación / Rotazione


Traslación / Travelling / Schienenfahren / Translation / Traslazione

Cable / Rope / Sell / Câble / Funne


33Hp (24Kw) - INV

	2000/14/CEE 2005/68/CEE		400V 50Hz I _{max} = 72A Fuse= 80A	TOTAL POWER 42 KVA	GENERATOR 75 KVA	100m 4x25mm ²	150m 4x35mm ²	200m 4x35mm ²
	2006/95 /CEE		480V 60Hz I _{max} = 60A Fuse = 70A					

FEM 1005-C25-D25 / EN 14439 - Mástil / Reacciones - Masts / Reactions - Maste / Eckdrücke - Mat / Réactions - Torre / Réazioni - Реакции / Комплектация башни



E = TORRE TL 55 1,20 M39/M39 8/8
 J = CAMPANA S17 10m 1,2/1,7 M39/M45 8/8
 K = TORRE S17 1,70 M45 8/8
 N = CAMPANA S21-S17 8/8
 O = TORRE S21 8/8
 P = TORRE S21 16/8
 Q = TORRE S21 16/16




C25	H (m)	23,85	27,8	29,7	35,6	37,8	39,8	49,7	61,5	69,3	75,2
	M (T-m)	130	148,4	158	193	209	223,7	340	570	700	820
	T (t)	5,1	5,7	6	7	7,2	7,9	10,1	13,5	15	16,2
	P (t)	32,4	33,7	34,3	35,2	35,9	37,9	44	50,2	55,2	59,3

D25	H (m)	23,85	27,8	29,7	31,6	33,8	35,8	45,7	51,5	59,3	65,2
	M (T-m)	145,6	166	177	193	209	223,7	340	570	700	820
	T (t)	5,6	6,1	6,5	7	7,2	7,9	10,1	13,5	15	16,2
	P (t)	32,4	33,7	34,3	35,2	35,9	37,9	44	50,2	55,2	59,3

Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - Другие высоты подъема и наращивание крана по запросу

FEM 1005-C25-D25 / EN 14439 - Bloque lastre de base - Base ballast block - Grundballastblöcke -
 Bloc de lest de base - Blocco di zavorra alla base - Балласты опорной рамы

K = TORRE S17 1,70 M45 8/8
 J = CAMPANA S17 10m 1,20/1,70 M39/M45 8/8
 E = TORRE TL 55 1,20 M39/M39 8/8
 C38 = 3,8x3,8m 1,2 HB 600
 C45-700 = 4,5x4,5m -1,2/1,7




C25	H(m): 50,6	H(m): 40,8	H(m): 36,7	H(m): 34,8	H(m): 30,8	H(m): 28,9	H(m): 24,8
	C45-700	C45-700	C45-700	C38	C38	C38	C38
	LASTRE: 121,6 Tn	LASTRE: 76 Tn	LASTRE: 60,8 Tn	LASTRE: 76 Tn	LASTRE: 60,8 Tn	LASTRE: 53,2 Tn	LASTRE: 45,6 Tn
	R1= 91,5 Tn	R1= 56,2 Tn	R1= 48,5 Tn	R1= 52,9 Tn	R1= 49 Tn	R1= 45,9 Tn	R1= 42 Tn

D25	H(m): 44,8	H(m): 40,8	H(m): 36,7		H(m): 30,8	H(m): 28,9	H(m): 24,8	
	C45-700	C45-700	C45-700		C38	C38	C38	
	LASTRE: 121,6 Tn	LASTRE: 91,2Tn	LASTRE: 83,6 Tn		LASTRE: 83,6 Tn	LASTRE: 76 Tn	LASTRE: 60,8 Tn	
	R1= 91,5 Tn	R1= 67,5 Tn	R1= 62,4 Tn		R1= 55,6 Tn	R1= 54,7 Tn	R1= 49,3 Tn	
	K-11,8	J	E-11,8	E-5,9	E-4	K-5,9	J	E-11,8
	1	1	1	1	1	1	1	2

Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана

C25 TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN / GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО



	MONOBLOCK SM110/3,85
A max.	28,5 m
B max.	19,25 m
C max.	26 m
Hl max.	36,1 m
H max. C+B+A	73,7 m
H max. C+B+A	93 m / ①


	PAG. 3 (*) MONOBLOCK SM110/3,85
A max.	28,5 m
B max.	19,25 m
C max.	40 m
Hl max.	50 m
H max. C+B+A	87,7 m
H max. C+B+A	107 m / ①

① Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - Другие высоты подъема и наращивание крана по запросу

C25 - TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES / GRU CLIMBING ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ








	MONOBLOCK SM110/3,85
A max.	8 - 11 m
H	32 m
X	1,8 m
Y	2,15 m

TL













ⓘ Consultarnos - Consultated - Consult us - Nous consulter - Auf anfrage - Другие высоты подъема и наращивание крана по запросу

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transporte - dimensioni e trasporti - Размеры и транспорта

	L(m)	W(m)	H(m)	Peso(Kg)	
Pluma tramo primero / Jlb heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio / Корневая секция стрелы 	1	11,74	1 1,85	2400	
Elemento Intermedio de pluma / Intermediate jlb section / Ausleger-Zwischenstück / Élément intern. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	2 3 4 5 6 7	11,8 11,8 5 5 5 5	1 1,8 1 1,8 1 1,8 1 1,3 1 1,19 1 1,18	1675 1063 400 313 260 275	
Contrapluma / Counter-jlb / Gegenausleger / Contre-fleche / Controbraccio / Консоль противовеса 		11,49 4,05	0,32 0,30	1,29 0,58	2190 102
Bloque de contrapeso / Counterweight blocks / Gegengewichtsböcke / Bloc de contrepois / Blocco di contrappeso / Плита противовеса 	A B C	2,94 2,94 1,70	0,30 0,18 0,18	1,25 1,25 1,25	2300 1400 850
Cabeza de torre / Tower head / Turmspitze / Porte - flèche / Testa di torre / Оголовок башни 		3,14	1,8	1,7	3198
Bloque lastre de base / Base ballast block / Grundballastböcke / Bloc de lest de base / Blocco di zavorra alla base / Плиты балласта опорной рамы 		4,5 5,8	0,51 0,4	0,9 1,5	5000 8000
Bloque apoyo de base / Base support block / Grundballastböcke / Bloc de appui de base / Blocco di appoggio alla base 		2	0,5	2	5000

	L(m)	W(m)	H(m)	Peso(Kg)
Elemento de torre / Tower section / Turmstück / Élément de mât / Elemento di torre / Башенные секции				
E	11,8	1,2	1,38	3782
ER	11,8	1,38	1,38	4295
E	8,0	1,2	1,38	2654
E	5,9	1,2	1,38	2090
E	4,0	1,2	1,38	1527
J	10	1,85	1,38	3520
K	11,8	1,85	1,85	4620
K	5,9	1,85	1,85	2505
K	3	1,85	1,85	1500
L	11,8	1,85	1,85	5325
M	11,8	1,85	1,85	5670
N	5,9	2,27	2,27	2850
O	11,8	2,27	2,27	4980
O	5,9	2,27	2,27	2680
O	3	2,27	2,27	1580
P	11,8	2,27	2,27	5880
Q	11,8	2,27	2,27	5900
X	6	2,27	2,29	4830
T	6	2,27	2,29	4780
T	12	2,27	2,29	9000
U	6	2,31	2,34	6200
U	12	2,31	2,34	11180
Z	6	2,31	2,55	7825
Z	12	2,31	2,55	15064
ZR	6	2,31	2,55	7925
ZR	12	2,31	2,55	15200
Elemento de empote / Foundation anchor / Fundamentanker / Pieds de scellement / El anegare / Анкерные крепления				
	<ul style="list-style-type: none"> S51 S52R S52RR S60/8 S60R/16 S70/8 S70R/16 S75R16/20 S75R16/22 S75R16/26 S75R24/26 S75R32/26 DIMA 	<ul style="list-style-type: none"> 1,2 1,2 1,2 1,85 1,85 2,28 2,28 0,35 0,50 0,50 0,50 0,50 2,31 	<ul style="list-style-type: none"> 1,42 1,42 1,5 1,6 1,6 1,6 1,6 0,35 0,50 0,50 0,50 0,50 2,34 	<ul style="list-style-type: none"> 496 594 670 956 1108 1122 1274 1200 1400 2100 3400 3500 1650
Gancho y Carro / Hook and Trolley / Lasthaken - Laufkatze / Crochet - Charlot / Gancho e Carrello / Крюк и грузовая тележка				
	0,75	0,12	1,4	164
	0,96	1,10	0,62	184
Cabina y soporte / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / Кабина с основой				
	3,00	1,15	2,35	558
Equipo de elevacion / Hoist winch / Heben / Levage / Sollevamento / подъёмник				
	1,6	1,2	0,7	830

	L(m)	W(m)	H(m)	Peso(Kg)
<p>Tramo trepador SM110 / Climbing tower section / Turmstück / Mâture télescopable / Elemento di torre monolitico / Монтажная секция башни</p> 	4,09	1,17	1,22	1420
<p>Jaula de telescopaje SM110 / Climbing cage SM110 / Hydraulikbühne SM110 / Cage de telescopage SM110 / Gabbla di montaggio SM110 / Монтажная обойма SM110</p> <p>Completa / Full / Vollständigle / Complete / completa / полный</p>  <p>Estructura / Steel frame / Struktur / Construction / Struttura / структура</p> <p>Hidraulico y accesorios / Hydraulic and accessories / Hydraulik-und Zubehör / hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары</p>	8,1	1,7	1,92	3840
<p>Tramo de transición SM110-1,2/1,09 / Climbing connection frame / Turmstück Element de transition / Telaio di raccordo a spinta / Переходная секция башни</p> 	11,2	1,38	1,21	3695
<p>Tramo de enlace a cabina SM110-1,09/1,2 / Climbing cage connection frame / Turmstück Element de connection pour la cage de telescopage / Telaio di raccordo a spinta / Секция башни для соединения с кабиной</p> 	1,5	1,65	1,65	875
<p>Tramo trepador SM110 - A / Climbing tower section / Turmstück / Mâture télescopable / Elemento di torre monolitico / Монтажная секция башни</p> 	4,09	1,17	1,22	1900
<p>Tramo trepador SM110 - B / Climbing tower section / Turmstück / Mâture télescopable / Elemento di torre monolitico / Монтажная секция башни</p> 	4,09	1,17	1,22	1750

	L(m)	W(m)	H(m)	Peso(Kg)
<p>Marco trepado externo / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / внешняя рамка пристежки</p> 	1,7	1,7	0,26	720
<p>Marco trepado Interno / Floor climbing frame / Cadre d'encrage Interne / Sopralzo interno / внутренняя рамка пристежки</p> 	2,4	2,38	0,45	1503
<p>Hidraulico y accesorios / Hydraulic and accessories / Hydraulik-und Zubehör / hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары</p>				1100
<p>Base C38 / base C38/ Hauptträger für fundamentkreuz C38 / Base C38 / Base C38</p> 	5,75	1,47	0,77	3670
<p>Base C38-900 / base C38-900 / Hauptträger für fundamentkreuz C38-900 / Base C38-900 / Base C38-900</p>	5,75	1,47	0,97	5550
<p>Base Cruciforme C45-700 / Crossbase C45-700 / Fundamentkreuz C45-700 / Châssis C45-700 / Carro base C45-700</p> 	6,7	1,3	0,77	6190



40" HC x 4 - HBG 35,6 m



x 3 - HBG 24 m


Características opcionales / Optional Features / Optionale Funktionen / Caractéristiques optionnelles / Caratteristiche opzionali / Дополнительные возможности



Zonificación / Zoning / Zonierung / Zonage / Zonizzazione / Зонирование



Acceso del operador / Operator Access / Bedienerzugriff / Accès opérateur / Accesso operatore / Доступ оператора



Anti choques / Anti Collision / Antikollisionen / Anti-collision / Anti collisione / Анти столкновение



Monitoreo remoto / Remote Monitoring / Fernüberwachung / Surveillance à distance / Monitoraggio remoto / Удаленное наблюдение

Note: _____

i Zura Pvt. Ltd

Corporate Office:
#3 Floor, Plot No: 8-2-684/4/16,
Anand Banjara Lane, Road No. 12,
Banjara Hills, Hyderabad - 500034.
Telangana, India.

Branch Office:
Bangalore | Kolkata

Factory:
Plot No. 172/UU, IDA Bollaram,
Miyapur, Hyderabad - 502325.
Telangana, India.

+91 9160 22 44 55
www.izura.in

Pictures are illustrative only and do not necessarily show the configuration of products on the market at a given point in time. Products must be used in conformity with safe practice and applicable statutes, regulations, codes and ordinances. Specifications of products and equipment shown herein are subject to change without notice, this commercial document is not legally binding for any technical information All rights reserved i Zura Private Limited.